

# Environmental product declaration

In accordance with ISO 14025 and EN 15804 +A2

PC-Bolt®





Owner of the declaration:

Pretec Norge AS

**Declared unit:** 

1 kg PC-Bolt®

This declaration is based on Product Category Rules: CEN Standard EN 15804:2012+A2:2019 serves as core PCR

NPCR 013:2021 Part B for Steel and aluminium construction products

The Norwegian EPD Foundation

# **Program operator:**

The Norwegian EPD Foundation

**Declaration number:** 

NEPD-3927-2846-EN

Registration number: NEPD-3927-2846-EN

Issue date:

11.11.2022

Valid to:

11.11.2027

EPD Software: LCA.no EPD generator System ID:

54721



# **General information**

#### Product

PC-Bolt®

#### Program operator:

Post Box 5250 Majorstuen, 0303 Oslo, Norway The Norwegian EPD Foundation Phone: +47 23 08 80 00 web: post@epd-norge.no

#### **Declaration number:**

NEPD-3927-2846-EN

# This declaration is based on Product Category Rules:

CEN Standard EN 15804:2012+A2:2019 serves as core PCR NPCR 013:2021 Part B for Steel and aluminium construction products

# Statement of liability:

The owner of the declaration shall be liable for the underlying information and evidence. EPD Norway shall not be liable with respect to manufacturer information, life cycle assessment data and evidences.

Declared unit:

1 kg PC-Bolt®

# Declared unit with option:

A1-A3,A4,C1,C2,C3,C4,D

#### **Functional unit:**

1 kg of PC-Bolt including expansion shell and spherical plate

# General information on verification of EPD from EPD tools:

Independent verification of data, other environmental information and the declaration according to ISO 14025:2010, § 8.1.3 and § 8.1.4. Individual third party verification of each EPD is not required when the EPD tool is i) integrated into the company's environmental management system, ii) the procedures for use of the EPD tool are approved by EPDNorway, and iii) the process is reviewed annualy. See Appendix G of EPD-Norway's General Programme Instructions for further information on EPD tools.

# Verification of EPD tool:

Independent third party verification of the EPD tool, background data and test-EPD in accordance with EPDNorway's procedures and guidelines for verification and approval of EPD tools.

Third party verifier:

Alexander Borg, Asplan Viak (no signature required)

#### Owner of the declaration:

Pretec Norge AS Contact person: Fredrik Eggertsen Phone: (+47) 69 10 24 60 e-mail: post@pretec.no

#### Manufacturer:

Pretec Norge AS Kampenesmosen 3 , 1739 Borgenhaugen Norway

# Place of production:

Pretec China 1-1 1-1 Danmei Road, Haining City , Zhejiang Province China

#### Management system:

ISO 14001 and ISO 9001, AAA Sertification AB, sert no 794 - EN 1090-1, AAA Sertification AB, sert no 2296

#### Organisation no:

NO 980 429 245 MVA

#### Issue date:

23.11.2022

# Valid to:

23.11.2027

#### Year of study:

2021

#### Comparability:

EPD of construction products may not be comparable if they not comply with EN 15804 and seen in a building context.

# Development and verification of EPD:

The declaration is created using EPD tool lca.tools ver EPD2022.03, developed by LCA.no. The EPD tool is integrated in the company's management system, and has been approved by EPD Norway.

Developer of EPD:

Fredrik Eggertsen

Reviewer of company-specific input data and EPD:

Lars Rune Aasberg

# Approved:

Håkon Hauan Managing Director of EPD-Norway



# **Product**

#### **Product description:**

PC-Bolt is a combination bolt for rock support. The bolt is end anchored with an expansion shell for immediate rock support. To be fully grouted at a later stage, allowing it to be classified as permanent support

#### **Product specification**

Pc-Coat® duplex coating. Provides optimum corrosion protection

for steel using three different processes

- · Hot-dip galvanizing
- Zinc-manganese phosphating
- Powder coating

CE marked according to NS EN 1090-1. Type approved in Norway by

Statens Vegvesen and Banenor.

| Materials      | kg   | %     |
|----------------|------|-------|
| Metal - Steel  | 0,96 | 96,40 |
| Metal - Zinc   | 0,03 | 3,00  |
| Powder coating | 0,01 | 0,60  |
| Total          | 1,00 |       |

# Technical data:

Dimension R27/12 and R27/15 are equipped with continuous R thread. Metric thread for dimension M27/15. Mechancial properties according to data sheet for each dimension.

#### Market:

Worldwide

# Reference service life, product

120 years

Reference service life, building or construction works

# **LCA: Calculation rules**

#### **Declared unit:**

1 kg PC-Bolt®

# Cut-off criteria:

All major raw materials and all the essential energy is included. The production processes for raw materials and energy flows with very small amounts (less than 1%) are not included. These cut-off criteria do not apply for hazardous materials and substances.

# Allocation:

The allocation is made in accordance with the provisions of EN 15804. Incoming energy and water and waste production in-house is allocated equally among all products through mass allocation. Effects of primary production of recycled materials is allocated to the main product in which the material was used. The recycling process and transportation of the material is allocated to this analysis.

# Data quality:

Specific data for the product composition are provided by the manufacturer. The data represent the production of the declared product and were collected for EPD development in the year of study. Background data is based on EPDs according to EN 15804 and different LCA databases. The data quality of the raw materials in A1 is presented in the table below.

| Materials      | Source                                | Data quality               | Year |
|----------------|---------------------------------------|----------------------------|------|
| Metal - Steel  | ecoinvent 3.6                         | Database                   | 2019 |
| Metal - Zinc   | ecoinvent 3.6                         | Database                   | 2019 |
| Powder coating | Ecoinvent 3.6                         | Database                   | 2019 |
| Metal - Steel  | Modified ecoinvent 3.6 and WorldSteel | Database and industry data | 2021 |




# System boundaries (X=included, MND=module not declared, MNR=module not relevant)

|                  | Product   | stage         |           | uction<br>lation<br>ige |     | Use stage   |        |             | End of life stage |                           |                          | Beyond the<br>system<br>boundaries |           |                     |          |  |
|------------------|-----------|---------------|-----------|-------------------------|-----|-------------|--------|-------------|-------------------|---------------------------|--------------------------|------------------------------------|-----------|---------------------|----------|--|
| Raw<br>materials | Transport | Manufacturing | Transport | Assembly                | Use | Maintenance | Repair | Replacement | Refurbishment     | Operational<br>energy use | Operational<br>water use | De-<br>construction<br>demolition  | Transport | Waste<br>processing | Disposal | Reuse-Recovery-<br>Recycling-<br>potential |
| A1               | A2        | A3            | A4        | A5                      | B1  | B2          | В3     | B4          | B5                | В6                        | В7                       | C1                                 | C2        | C3                  | C4       | D  |
| X                | Х         | X             | Χ         | MND                     | MND | MND         | MND    | MND         | MND               | MND                       | MND                      | Χ                                  | Х         | Χ                   | X        | X  |

# System boundary:

This EPD is a "cradle-to-gate with options" EPD. The system boundary for this LCA report is from A1-A4, C1-C4 and D



# Additional technical information:

Bolts are delivered with pre-assembled expansion shells and packages are suited for stacking to optimize logistics



# LCA: Scenarios and additional technical information

The following information describe the scenarios in the different modules of the EPD.

Module C " end of life stage" is a generic scenario for decommissioning of construction. Subject to project specific condition. Grade of recycling for different steel grades is based on statistics obtained from norsk st

| Transport from production place to user (A4)  | Capacity utilisation<br>(incl. return) % | Distance (km) | Fuel/Energy Consumption | Unit  | Value<br>(Liter/tonne) |
|---|--|---------------|-------------------------|-------|------------------------|
| Truck, over 32 tonnes, EURO 4 (kgkm) - Global   | 55,0 %                                   | 60            | 0,023                   | l/tkm | 1,38                   |
| Truck, over 32 tonnes, EURO 6 (km)  | 53,3 %                                   | 300           | 0,023                   | l/tkm | 6,90                   |
| Ship, Freight, Transoceanic, 194.000DWT (kgkm)  | 65,0 %                                   | 20300         |                         | l/tkm |                        |
| Ship, Coastal Barge (km)  | 71,0 %                                   | 110           | 0,011                   | l/tkm | 1,21                   |
| De-construction demolition (C1)   | Unit                                     | Value         |                         |       |                        |
| Diesel, burned (MJ)   | MJ/DU                                    | 0,63          |                         |       |                        |
| Transport to waste processing (C2)  | Capacity utilisation<br>(incl. return) % | Distance (km) | Fuel/Energy Consumption | Unit  | Value<br>(Liter/tonne) |
| Truck, over 32 tonnes, EURO 6 (km)  | 53,3 %                                   | 300           | 0,023                   | l/tkm | 6,90                   |
| Waste processing (C3)   | Unit                                     | Value         |                         |       |                        |
| Materials to recycling (kg)   | kg                                       | 0,89          |                         |       |                        |
| Waste treatment per kg Hazardous waste, incineration (kg) - C3                            | kg                                       | 0,01          |                         |       |                        |
| Disposal (C4)   | Unit                                     | Value         |                         |       |                        |
| Landfilling of ashes from incineration of<br>Hazardous waste, from incineration (kg) - C4 | kg                                       | 0,00          |                         |       |                        |
| Waste, scrap steel, to landfill (kg)  | kg                                       | 0,10          |                         |       |                        |
| Benefits and loads beyond the system boundaries (D)                                       | Unit                                     | Value         |                         |       |                        |
| Substitution of primary steel with net scrap (kg)   | kg                                       | 0,66          |                         |       |                        |
| Substitution of Zinc (kg)   | kg                                       | 0,03          |                         |       |                        |
| Substitution of electricity, in Norway (MJ)   | MJ                                       | 0,00          |                         |       |                        |
| Substitution of thermal energy, district heating, in Norway (MJ)                          | MJ                                       | 0,00          |                         |       |                        |



# **LCA: Results**

The LCA results are presented below for the declared unit defined on page 2 of the EPD document.

| Environ | mental impact                    |                        |          |          |          |          |          |          |           |
|---------|----------------------------------|------------------------|----------|----------|----------|----------|----------|----------|-----------|
|         | Parameter                        | Unit                   | A1-A3    | A4       | C1       | C2       | C3       | C4       | D         |
|         | GWP-total                        | kg CO <sub>2</sub> -eq | 2,35E+00 | 1,59E-01 | 5,73E-02 | 2,61E-02 | 1,33E-02 | 9,22E-04 | -8,01E-01 |
|         | GWP-fossil                       | kg CO <sub>2</sub> -eq | 2,35E+00 | 1,58E-01 | 5,73E-02 | 2,61E-02 | 1,33E-02 | 9,21E-04 | -7,99E-01 |
|         | GWP-biogenic                     | kg CO <sub>2</sub> -eq | 2,17E-03 | 6,08E-05 | 1,07E-05 | 1,12E-05 | 3,34E-05 | 5,59E-07 | -1,14E-03 |
|         | GWP-luluc                        | kg CO <sub>2</sub> -eq | 1,64E-03 | 1,44E-04 | 4,52E-06 | 7,96E-06 | 3,36E-06 | 1,31E-07 | -5,80E-04 |
| Ö       | ODP                              | kg CFC11 -eq           | 1,32E-07 | 2,87E-08 | 1,24E-08 | 6,30E-09 | 1,52E-09 | 2,31E-10 | -7,51E-08 |
| Œ       | AP                               | mol H+ -eq             | 1,06E-02 | 4,03E-03 | 6,00E-04 | 8,41E-05 | 1,95E-05 | 5,13E-06 | -4,35E-03 |
| -       | EP-FreshWater                    | kg P -eq               | 1,01E-04 | 9,93E-07 | 2,09E-07 | 2,08E-07 | 3,19E-07 | 7,98E-09 | -5,33E-05 |
| -       | EP-Marine                        | kg N -eq               | 2,12E-03 | 9,99E-04 | 2,65E-04 | 1,84E-05 | 4,04E-06 | 1,81E-06 | -9,11E-04 |
|         | EP-Terrestial                    | mol N eq               | 2,33E-02 | 1,11E-02 | 2,90E-03 | 2,05E-04 | 4,55E-05 | 2,01E-05 | -9,48E-03 |
|         | POCP                             | kg NMVOC -eq           | 1,07E-02 | 2,93E-03 | 7,98E-04 | 8,07E-05 | 1,28E-05 | 5,74E-06 | -4,09E-03 |
|         | ADP-minerals&metals <sup>1</sup> | Kg Sb-eq               | 2,33E-03 | 1,94E-06 | 8,80E-08 | 4,66E-07 | 4,64E-08 | 4,61E-09 | -1,99E-03 |
| B       | ADP-fossil <sup>1</sup>          | MJ                     | 2,47E+01 | 2,12E+00 | 7,89E-01 | 4,24E-01 | 5,58E-02 | 1,60E-02 | -7,22E+00 |
| %       | WDP <sup>1</sup>                 | m <sup>3</sup>         | 1,06E+01 | 8,15E-01 | 1,68E-01 | 3,25E-01 | 2,07E-01 | 8,82E-02 | 3,46E+01  |

GWP total Global Warming Potential total; GWP fossil Global Warming Potential fossil fuels; GWP biogenic Global Warming Potential biogenic; GWP luluc Global W Potential land use change; ODP Ozone Depletion; AP Acidification; EP freshwater Eutrophication aquatic freshwater; EP marine Eutrophication aquatic marine; EP terrestrial Eutrophication terrestrial; POCP Photochemical zone formation; ADPE Abiotic Depletion Potential minerals and metals; ADPf Abiotic Depletion Potential fossil fuels:

# Remarks to environmental impacts

<sup>&</sup>quot;Reading example: 9,0 E-03 = 9,0\*10-3 = 0,009"

<sup>\*</sup>INA Indicator Not Assessed

<sup>1.</sup> The results of this environmental impact indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator.



| Additional           | Additional environmental impact indicators |                   |          |          |          |          |          |          |           |  |  |  |
|----------------------|--|-------------------|----------|----------|----------|----------|----------|----------|-----------|--|--|--|
| Pa                   | arameter                                   | Unit              | A1-A3    | A4       | C1       | C2       | C3       | C4       | D         |  |  |  |
|                      | PM   | Disease incidence | 1,78E-07 | 2,99E-09 | 1,59E-08 | 2,40E-09 | 3,00E-10 | 9,50E-11 | -6,30E-08 |  |  |  |
|                      | IRP <sup>2</sup>                           | kgBq U235 eq.     | 4,37E-02 | 9,10E-03 | 3,38E-03 | 1,85E-03 | 2,54E-04 | 7,25E-05 | -5,81E-03 |  |  |  |
| 4                    | ETP-fw <sup>1</sup>                        | CTUe              | 6,91E+01 | 1,42E+00 | 4,31E-01 | 3,10E-01 | 2,71E-01 | 1,35E-02 | -4,43E+01 |  |  |  |
| 48.*<br>*** <u>*</u> | HTP-c <sup>1</sup>                         | CTUh              | 1,03E-08 | 0,00E+00 | 1,70E-11 | 0,00E+00 | 1,30E-11 | 0,00E+00 | -3,92E-09 |  |  |  |
| 8                    | HTP-nc <sup>1</sup>                        | CTUh              | 8,27E-08 | 3,60E-10 | 3,96E-10 | 3,00E-10 | 7,80E-11 | 1,70E-11 | 6,27E-08  |  |  |  |
|                      | SQP <sup>1</sup>                           | Pt                | 6,13E+00 | 8,39E-01 | 1,00E-01 | 4,87E-01 | 2,20E-02 | 5,66E-02 | -9,84E-01 |  |  |  |

PM Particulate Matter emissions; IRP Ionizing radiation – human health; ETP-fw Eco toxicity – freshwater; HTP-c Human toxicity – cancer effects; HTP-nc Human toxicity – non cancer effects; SQP Soil Quality (dimensionless)

<sup>&</sup>quot;Reading example: 9,0 E-03 = 9,0\*10-3 = 0,009" \*INA Indicator Not Assessed

<sup>1.</sup> The results of this environmental impact indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator

<sup>2.</sup> This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator.



| Resource use |          |                |          |           |          |          |           |          |           |
|--------------|----------|----------------|----------|-----------|----------|----------|-----------|----------|-----------|
| Pa           | arameter | Unit           | A1-A3    | A4        | C1       | C2       | C3        | C4       | D         |
|              | PERE     | MJ             | 1,04E+00 | 2,18E-02  | 4,27E-03 | 5,34E-03 | 1,01E-02  | 4,95E-04 | -6,45E-01 |
|              | PERM     | MJ             | 0,00E+00 | 0,00E+00  | 0,00E+00 | 0,00E+00 | 0,00E+00  | 0,00E+00 | 0,00E+00  |
| T.           | PERT     | MJ             | 1,04E+00 | 2,18E-02  | 4,27E-03 | 5,34E-03 | 1,01E-02  | 4,95E-04 | -6,45E-01 |
|              | PENRE    | MJ             | 2,47E+01 | 2,12E+00  | 7,89E-01 | 4,24E-01 | 5,58E-02  | 1,60E-02 | -7,22E+00 |
|              | PENRM    | MJ             | 0,00E+00 | 0,00E+00  | 0,00E+00 | 0,00E+00 | 0,00E+00  | 0,00E+00 | 0,00E+00  |
| IA.          | PENRT    | MJ             | 2,47E+01 | 2,12E+00  | 7,89E-01 | 4,24E-01 | 5,58E-02  | 1,60E-02 | -7,22E+00 |
|              | SM       | kg             | 2,13E-01 | 1,02E-03  | 3,87E-04 | 0,00E+00 | 2,61E-05  | 4,38E-06 | 3,41E-01  |
| 2            | RSF      | MJ             | 1,30E-02 | 6,19E-04  | 1,05E-04 | 1,87E-04 | 2,22E-04  | 9,52E-06 | 2,19E-02  |
|              | NRSF     | MJ             | 1,84E+00 | -4,19E-03 | 1,54E-03 | 6,26E-04 | -2,51E-05 | 6,34E-05 | 7,55E-01  |
| <b>%</b>     | FW       | m <sup>3</sup> | 1,43E-02 | 1,82E-04  | 4,06E-05 | 4,83E-05 | 5, 17E-05 | 2,05E-05 | -3,94E-03 |

PERE Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM Use of renewable primary energy resources used as raw materials; PERT Total use of renewable primary energy resources; PENRE Use of non renewable primary energy excluding non-renewable primary energy resources used as raw materials; PENRM Use of non renewable primary energy resources; SM Use of secondary materials; RSF Use of renewable secondary fuels; NRSF Use of non renewable secondary fuels; FW Use of net fresh water

<sup>&</sup>quot;Reading example: 9,0 E-03 = 9,0\*10-3 = 0,009" \*INA Indicator Not Assessed



| End of life - Waste |      |      |          |          |          |          |          |          |           |  |  |  |
|---------------------|------|------|----------|----------|----------|----------|----------|----------|-----------|--|--|--|
| Parameter           |      | Unit | A1-A3    | A4       | C1       | C2       | C3       | C4       | D         |  |  |  |
|                     | HWD  | kg   | 4,80E-03 | 1,16E-04 | 2,32E-05 | 2,32E-05 | 1,21E-05 | 7,06E-07 | -4,81E-03 |  |  |  |
| Ū                   | NHWD | kg   | 3,88E-01 | 4,97E-02 | 9,34E-04 | 3,69E-02 | 1,48E-03 | 1,00E-01 | -3,06E-01 |  |  |  |
|                     | RWD  | kg   | 4,30E-05 | 1,45E-05 | 5,48E-06 | 2,90E-06 | 3,17E-07 | 1,08E-07 | -3,94E-06 |  |  |  |

HWD = Hazardous waste disposed; NHWD = Non-hazardous waste disposed; RWD = Radioactive waste disposed;

"Reading example: 9,0 E-03 = 9,0\*10-3 = 0,009" \*INA Indicator Not Assessed

| End of life - Output flow |     |      |          |          |          |          |          |          |           |  |  |
|---------------------------|-----|------|----------|----------|----------|----------|----------|----------|-----------|--|--|
| Parameter                 |     | Unit | A1-A3    | A4       | C1       | C2       | C3       | C4       | D         |  |  |
| <b>∅</b> >                | CRU | kg   | 0,00E+00  |  |  |
| \$>                       | MFR | kg   | 2,11E-01 | 1,26E-03 | 3,80E-04 | 0,00E+00 | 8,95E-01 | 3,74E-06 | 3,41E-01  |  |  |
| DØ                        | MER | kg   | 2,10E-04 | 3,65E-06 | 1,18E-06 | 0,00E+00 | 1,93E-06 | 9,81E-08 | 1,73E-04  |  |  |
| <b>₹</b>                  | EEE | MJ   | 2,89E-03 | 3,02E-05 | 4,04E-06 | 0,00E+00 | 5,94E-06 | 1,73E-06 | -2,15E-03 |  |  |
| D                         | EET | MJ   | 4,37E-02 | 4,57E-04 | 6,12E-05 | 0,00E+00 | 8,99E-05 | 2,61E-05 | -3,25E-02 |  |  |

CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported energy Thermal

"Reading example: 9,0 E-03 = 9,0\*10-3 = 0,009" \*INA Indicator Not Assessed

| Biogenic Carbon Content                           |      |                     |  |  |  |  |  |  |  |
|---|------|---------------------|--|--|--|--|--|--|--|
| Parameter   | Unit | At the factory gate |  |  |  |  |  |  |  |
| Biogenic carbon content in product                | kg C | 0,00E+00            |  |  |  |  |  |  |  |
| Biogenic carbon content in accompanying packaging | kg C | 0,00E+00            |  |  |  |  |  |  |  |

Note: 1 kg biogenic carbon is equivalent to 44/12 kg CO2



# **Additional Norwegian requirements**

# Greenhouse gas emissions from the use of electricity in the manufacturing phase $% \left\{ 1,2,\ldots,n\right\}$

National production mix from import, low voltage (production of transmission lines, in addition to direct emissions and losses in grid) of applied electricity for the manufacturing process (A3).

| Electricity mix                                  | Data source   | Amount | Unit         |
|--|---------------|--------|--------------|
| Electricity, China, Zhejiang, high voltage (kWh) | ecoinvent 3.6 | 865,26 | g CO2-eq/kWh |

# **Dangerous substances**

The product contains no substances given by the REACH Candidate list or the Norwegian priority list.

#### Indoor environment

For outdoor use only

# **Additional Environmental Information**

| Environmental impact indi | Environmental impact indicators EN 15804+A1 and NPCR Part A v2.0 |          |          |          |          |          |          |           |  |  |  |  |
|---------------------------|--|----------|----------|----------|----------|----------|----------|-----------|--|--|--|--|
| Parameter                 | Unit   | A1-A3    | A4       | C1       | C2       | C3       | C4       | D         |  |  |  |  |
| GWP                       | kg CO <sub>2</sub> -eq   | 2,22E+00 | 1,57E-01 | 5,67E-02 | 2,59E-02 | 1,32E-02 | 9,09E-04 | -7,53E-01 |  |  |  |  |
| ODP                       | kg CFC11 -eq   | 1,35E-07 | 2,72E-08 | 9,82E-09 | 5,10E-09 | 1,43E-09 | 1,83E-10 | -2,91E-08 |  |  |  |  |
| POCP                      | kg C <sub>2</sub> H <sub>4</sub> -eq                             | 1,36E-03 | 8,63E-05 | 8,72E-06 | 3,20E-06 | 8,35E-07 | 1,60E-07 | -4,67E-04 |  |  |  |  |
| AP                        | kg SO <sub>2</sub> -eq   | 7,98E-03 | 3,20E-03 | 8,37E-05 | 5,45E-05 | 1,54E-05 | 1,91E-06 | -3,28E-03 |  |  |  |  |
| EP                        | kg PO <sub>4</sub> <sup>3-</sup> -eq                             | 9,96E-04 | 3,49E-04 | 9,31E-06 | 5,91E-06 | 2,72E-06 | 2,40E-07 | -4,83E-04 |  |  |  |  |
| ADPM                      | kg Sb -eq  | 2,33E-03 | 1,94E-06 | 8,80E-08 | 4,66E-07 | 4,64E-08 | 4,61E-09 | -1,99E-03 |  |  |  |  |
| ADPE                      | MJ   | 2,35E+01 | 2,10E+00 | 7,89E-01 | 4,16E-01 | 5,15E-02 | 1,56E-02 | -7,46E+00 |  |  |  |  |
| GWPIOBC                   | kg CO <sub>2</sub> -eq   | 2,29E+00 | 1,59E-01 | 5,67E-02 | 2,61E-02 | 1,33E-02 | 4,96E-04 | -1,16E+00 |  |  |  |  |

GWP Global warming potential; ODP Depletion potential of the stratospheric ozone layer; POCP Formation potential of tropospheric photochemical oxidants; AP Acidification potential of land and water; EP Eutrophication potential; ADPM Abiotic depletion potential for non fossil resources; ADPE Abiotic depletion potential for fossil resources; GWP-IOBC/GHG Global warming potential calculated according to the principle of instantanious oxidation (except emissions and uptake of biogenic carbon)



# **Bibliography**

ISO 14025:2010 Environmental labels and declarations - Type III environmental declarations - Principles and procedures.

ISO 14044:2006 Environmental management - Life cycle assessment - Requirements and guidelines.

EN 15804:2012+A2:2019 Environmental product declaration - Core rules for the product category of construction products.

ISO 21930:2017 Sustainability in buildings and civil engineering works - Core rules for environmental product declarations of construction products.

ecoinvent v3, Allocation, cut-off by classification, Swiss Centre of Life Cycle Inventories.

Iversen et al., (2021) eEPD v2021.09 Background information for EPD generator tool system verification, LCA.no Report number: 07.21

Graafland and Iversen, (2022) EPD generator for EPD generator for NPCR 013 Part B for Steel and Aluminum, Background information for EPD generator application and LCA data, LCA.no report number: 08.22

NPCR Part A: Construction products and services. Ver. 2.0. April 2021, EPD-Norge.

NPCR 013 Part B for Steel and Aluminium Construction Products , Ver. 4.0, 06.10.2021, EPD Norway.

| © epd-norway  Global Program Operator | Program operator and publisher   | Phone:                    | +47 23 08 80 00                                      |
|---------------------------------------|--|---------------------------|--|
|                                       | The Norwegian EPD Foundation   | e-mail:                   | post@epd-norge.no                                    |
|                                       | Post Box 5250 Majorstuen, 0303 Oslo, Norway                                  | web:                      | www.epd-norge.no                                     |
| PRETEC' Let's connect                 | Owner of the declaration: Pretec Norge AS Kampenesmosen 3, 1739 Borgenhaugen | Phone:<br>e-mail:<br>web: | (+47) 69 10 24 60<br>post@pretec.no<br>www.pretec.no |
| LCA,                                  | Author of the Life Cycle Assessment  | Phone:                    | +47 916 50 916                                       |
|                                       | LCA.no AS  | e-mail:                   | post@lca.no  |
|                                       | Dokka 6B, 1671   | web:                      | www.lca.no   |
| LCA,                                  | <b>Developer of EPD generator</b>  | Phone:                    | +47 916 50 916                                       |
|                                       | LCA.no AS  | e-mail:                   | post@lca.no  |
|                                       | Dokka 6B,1671 Kråkerøy   | web:                      | www.lca.no   |
| SCOPATIONS  VEGITIES                  | ECO Platform   | Web:                      | www.eco-platform.org                                 |
|                                       | ECO Portal   | Web:                      | ECO Portal   |

# EPD for the best environmental decision

The Norwegian EPD Foundation www.epd-norge.no

